

ALGE-TIMING Price List 2025

2025-02-01

Product	Code	Preis in Euro
TIMING DEVICES		
Timy3 with built-in radio WTN	Timy3 W	1.075
Timy3 with built-in radio WTN and printer	Timy3 WP	1.507
Timy3 WP including NM-TIMY2, charger PS12A and case KS-TY1	Timy3 WP-S	1.657
Mobile Timing MT1 incl. 2000 Timing Points, PS-USB and USB-AC	MT1	806
Timing Point Package Bronze: 5.000 TP	5000TP	108
Timing Point Paket Silver: 10.000 TP	10000TP	194
Timing Point Paket Gold: 20.000 TP	20000TP	270
TimeManager	TM	3.606
Training WTN-Set1 (Timy3 W + 2 x PR1aW + 2 x REF-L + 4 x TRI128 + case)	WTN-Set1	2.592
Training WTN-Set2 (Timy3 WP + PS12A + 2 x PR1aW + 2 x REF-L + 4 x TRI128)	WTN-Set2	3.191
Photocell Set for WTN-Set (PR1aW + REF-L + 2 x TRI128)	PR1aW-Set	924
Countdown Trainer Display with 4 digits, 25 cm figure height - radio controlled	D-CDT	3.554
TIMING DEVICES SELFTIMER		
Selftimer SF3 without payment - 15 cm board, incl. STSnA1, PR1a-R, SF3L	SF3-L150	3.605
Selftimer SF3 without payment - 25 cm board, incl. STSnA1, PR1a-R, SF3L	SF3-L250	4.408
LED display board for Selftimer SF3 with 3 digit and 150 mm figure height	D-SF150-O-3-E0	1.643
LED display board for Selftimer SF3 with 6 digit and 150 mm figure height	D-SF150-O-6-E0	2.045
LED display board for Selftimer SF3 with 3 digit and 250 mm figure height	D-SF250-O-3-E0	2.042
LED display board for Selftimer SF3 with 6 digit and 250 mm figure height	D-SF250-O-6-E0	2.847
Start light for Selftimer SF3	SF3L	562
Speedy 150-3 (D-SF150-O-3-E0, 2 x PR1a-R, cable 171-30)	Speedy 150-3	3.083
Speedy 250-3 (D-SF250-O-3-E0, 2 x PR1a-R, cable 171-30)	Speedy 250-3	3.482
Speedy 150-3-R (D-LINE150-O-3-E0, D-RAD with 30 m cable)	Speedy 150-3-R	3.406
Speedy 250-3-R (D-LINE250-O-3-E0, D-RAD with 30 m cable)	Speedy 250-3-R	3.801
Radar for Speedy with 30 m cable	D-RAD	2.205
IMPULSE DEVICES		
Startgate, manual gate, 1 output, and speech amplifier	STSnM1S	399
Startgate, manual gate, 2 outputs, and speech amplifier, FIS approved	STSnM2S	485
Startgate, automatic gate, 1 output	STSnA1	344
Startgate, automatic gate 1 output, and speech amplifier	STSnA1S	425
Start wand for STSn	STSn-S	35
Start wand for STSn with spring	STSn-FSTAB	49
Start wand for STSc	STS3/c	45
Start poles with start plate for Startgate STSnM2S	SSP	1.434
Startdoor for Parallel- and Cross Events	SSD1	6.135
Distribution Box with power supply for 2 x SSD1 with 2 x 310-07 and 1 x 023-02	SSD1-PS	2.209
Connection set for start door SSD1 for Cross events with cable 310-1.5	SSD1-CC	592
Start Light for Parallel Events (3 x red 1 x green) - Single Sided with 310-07 + Holder	D-SL105-3xR-G	1.691
Start Light for Parallel Events (3 x red 1 x green) - Double Sided with 310-07 + Holder	D-SL105-3xR-G-DS	2.637
SPM-Snow Grip Tip, length 34 cm	SSD1-IS	29
OPTI Team Cross Start Adapter	OTCSA	839
Startmicrophone SM9	SM9	400
Electronic start trigger with integrated flash	e-Start	483
Electronic radio start trigger with flash (works on WTN base), incl. PS12A	e-Start W	684
Photocell with reflector, 2 x B-S1 (attention: without cable)	PR1a-RS	496
WTN photocell with reflector and 2 x B-S1	PR1aW-RS	706
Photocell with reflector and 2 x BBG and cable 001-10	PR1a-R	582
WTN photocell with reflector and 2 x BBG	PR1aW-R	741
Photocell with reflector, 2 x tripod TRI128 and cable 001-30	PR1a-RT	869

	WTN photocell with reflector and 2 x tripod TRI128	PR1aW-RT	956
	Photocell with reflector and cable 000-05	PR1a-RB	463
	Photocell (2 x PR1a), 2 x B-S1 (attention: without cable)	PR1a-dS	774
	Photocell (2 x PR1a), 2 x BBG and cable 001-10	PR1a-d	860
	Photocell (2 x PR1a), 2 x tripod TRI128 and cable 001-30	PR1a-dT	1.147
	WTN photocell (1 x PR1aW, 1 x PR1a) and 2 x TRI128	PR1aW-dT	1.234
	Photocell PR1a (transmitter-receiver unit) without accessory	PR1a	350
	WTN photocell (transmitter-receiver unit) without accessory	PR1aW	560
	Reflector for PR1a	PR1a-Ref	77
	Three-fold photocell with reflector, tripods TRI128 and cable 001-30	RLS3c	2.141
	Photocell holder for speed skating (without photocell PR1a)	ICE-FH1	139
	Reflector for speed skating (additional holder ICE-FH1 necessary)	ICE-Ref1	75
	Reflector for RLS3c	Ref-3	101
	Reflector for canoe	Ref-C	239
	Reflector small	Ref-L	44
	Bracket for photocell with chain (without socket-joint)	BBG	52
	Small bracket for photocell to screw on a poll	B-S1	35
	Photocell holder for poles (max 4 cm diameter)	B-P40	91
NEW	Universal holder for MT1, TED2, WTN, SV5-BT, etc.	B-UH	62
	Weatherproof photocell box for PR1a	PB4	634
	Weatherproof photocell box for PR1a with heating and power supply PS12A	PB4H	775
	Push Button XL (palm button with banana contact)	PB-XL	237
	Photocell Light Grid (monitoring distance 1080 mm)	ASLG1m	2.244
	Contact mat with measurements of 40 x 30 cm	CM40x30	452
	Contact mat with measurements of 60 x 43 cm	CM60x43	619
***	Tape switch 3 m	ATS3	257
***	Tape switch 6 m	ATS6	354
***	Tape switch 9 m	ATS9	429
*	Tape switch 3 m	ATS3Y	343
*	Tape switch 6 m	ATS6Y	490
NEW	Tape switch 7 m	ATS7Y	511
*	Tape switch 9 m	ATS9Y	640
RADIO TRANSMISSION			
	Wireless Timing Network	WTN	571
	Wireless Timing Network for display boards	WTN-DB	366
	Radio push-button with built-in WTN	WTN-PB	334
	Wireless Timing Network for wind speed	WTN-WS	460
	Bracket with Velcro for WTN and TED2	SPB1	34
	Teledate Transmitter 5 - 500 mW (distance up to 4,5 km), 433 MHz b	TED2-TX	1.229
	Teledate Empfänger, 433 MHz Band	TED2-RX	984
	BNC antenna	BNC-Ant	59
	Holder to mount TED + photocell on a tripod	TTR	64
TIMING ACCESSORIES			
	LED start clock with internal battery pack, remote control ASC3-RCU and case	ASC3	2.572
	Remote control ASC3-RCU for start clock ASC3 with 10 m cable	ASC3-RCU	214
	GPS-receiver with 25-pin D-Sub plug for Timy and ASC3	GPS-A	248
	Start beep	STB1	619
	Start system with amplifier-speaker and trolley BANG2	BANG2	2.013
	Weather protection for speaker BANG2	BANG2-BAG	199
	Headset microphone with radio for BANG	BANG-HS	528
	Tripod for BANG or BANG2	BANG-TRI	242
	Horn speaker for BANG and BANG2 (connect up to 8 pieces)	BANG SPK	366
	Start unit SU3	SU3	419
	Headset (single-sided and microphone)	HS4-1	160
	Headset (double-sided and microphone)	HS4-2	214
	Speech amplifier with switch-key	SV4-S	242
***	Speech amplifier with connection for SM8	SV4/SM	279
	Bluetooth Headset double-sided and microphone)	HS-BT1	112
	Bluetooth Speech Amplifier	SV5-BT	378
	Printer P6-8 with 8-pin DIN plug e.g. for TimeManager	P6-8	580
	Printer P6-USB with USB connector for MT1, TED2 and SJ2	P6-USB	645
	Docking station for Timy	TIDO	675
	Multichannel for Timy, TdC 8000 or TdC 8001	MC9	327

	Loudspeaker with fastening (D-Sub25 plug)	DL25	193
	Start flash with LED	FLASH XL	887
CHARGING DEVICES AND BATTERIES			
	Power supply	PS12	77
	Power supply for Timy and Printer P5	PS12A	77
	Power Supply for USB	PS-USB	24
	Power supply for SJ2-T (24 VDC, 70 W, 7-pin Amphenol plug male)	PS24-70A	194
	Power Bank device with 18 Ah battery, 12 VDC and 2 x USB out	PS-KP	268
	NiMH battery pack for Timy2/3 (7.2 V / 2 Ah)	NM-TIMY2	74
	NiMH battery pack for TdC 8001- 7,2 V/4,5 Ah - long (from S/N 100928 001)	NM-TDC8001	142
	NiMh battery pack for GAZ5 - 12 V / 4,5 Ah	NM-GAZ	149
	Lead battery for start clock ASC1	BAB12/2.2	35
	Lead battery for BANG and SJS2 (two pieces BAB12/2.9 for BANG necessary)	BAB12/2.9	38
	Lead battery for BANG2 (two pieces BAB12/5.2 for BANG2 necessary)	BAB12/5.2	42
	Lead battery for start clock ASC2 - 9 Ah	BAB12/9	74
	Lead battery for start clock ASC3 (2 pieces 6V/12Ah)	BAB6/12	85
	Adapter for power supply of the IDCam via Ethernet cable	POE	81
FINISH RECORDING CAMERA IDCam			
	IDCam camera with 5 megapixels, 0.2 Lux, incl. lens, POE+, 20 + 3 m cable and IDCam software	IDCam	2.530
	Weather protection for IDCam	WP-IDCam	214
PHOTO FINISH			
	OPTIc3 camera without lens, with PoE and Ethernet cables (10 m + 3 m), scan rate 3000 lines per second, resolution 1360 pixel	OPTIc3	10.321
	OPTIc3 camera without lens, with PoE and Ethernet cables (10 m + 3 m) incl. KL-OPTIc3, USB-WIFI, O3-HiRes, O3-LS8, O3-LS15, O3-LD, O3-WTN, O3-VoiP, O3-MD, O3-HSV, O3-2EVAL and O3-EL (no T-OPTIc2NET)	OPTIc3-PRO	17.661
	OPTIc3 upgrade for a higher vertical resolution from 1360 to 2016 pixel	O3-HiRes	1.527
	OPTIc3 upgrade for scan rate from 3000 to 8000 lines per second	O3-LS8	1.527
	OPTIc3 upgrade for scan rate from 8000 to 15000 lines per second	O3-LS15	1.527
	OPTIc3 upgrade for recording and evaluation on different PC	O3-2EVAL	1.527
	OPTIc3 upgrade for line doubling	O3-LD	1.220
	OPTIc3 upgrade for integrated WTN (Wireless Timing Network)	O3-WTN	204
	OPTIc3 upgrade with communication per VoiP with speech amplifier	O3-VoiP	605
	OPTIc3 upgrade for motion detection (automatic recording)	O3-MD	502
	OPTIc3 upgrade for transponder recording	O3-TSP	605
	OPTIc3 upgrade for motor zoom (controlling, autofocus and auto iris)	O3-MZ	605
	OPTIc3 upgrade for light blasting (extreme Lux)	O3-EL	297
	OPTIc3 upgrade for high speed video (100 frames per second)	O3-HSV	400
	OPTIc3 upgrade for Transponder software	T-OPTIc2NET	614
	OPTIc3 weather protection (for lenses up to 75 mm)	WPC3-75	160
	Zoom lens 12.5 - 75 mm / F1.2	Z75	786
	Wide angle lens 8 mm / F1.4	L8C	306
	Motor zoom 8 - 48 mm / F1.2 / 1/2 Inch (only for OPTIc3 with 1360 pixel)	MZ48C	1.526
	Motor zoom 12.5 - 75 mm / F1.2, including OPTIc3 upgrade O3-MZ	MZ75C	1.835
	C-Mount Focal Length Converter (zoom factor x 1.5)	Lx1.5	173
	C-Mount Focal Length Converter (zoom factor x 2)	Lx2	204
	Radial polar filter for Z75 and MZ75 (55 mm thread)	PF55	134
	Gear head for tripod to adjust the camera	410	429
	Electrical gear head for OPTIc3 (tridimensional)	410-E3	2.561
	Anemometer Windspeed WS3	WS3	2.205
	Anemometer Windspeed WS3-TY (WS3, Timy3 W, KT245Z10, TRI128)	WS3-TY	4.003
	Anemometer Windspeed WS3-TY (WS3, Timy3 W, WTN-WS, TRI128)	WS3-W	3.900
	Anemometer Windspeed WS2	WS2	2.205
	Anemometer Windspeed WS2-TY (WS2, Timy3 W, KT245Z10, TRI128)	WS2-TY	3.958
	Anemometer Windspeed WS2-TY (WS2, Timy3 W, WTN-WS, TRI128)	WS2-W	3.893
	Distance Measuring Device - Totalstation for Measuring the Distance in Athletics	DMD-Arc5	5.431
	Mirror for horse racing (fixed installation)	OMH	6.970
	Mirror for horse racing with heating (fixed installation)	OMH-H	7.688
	Distributor for fixed cabling in manhole - manhole A to E (athletics)	TB2 A-E	378
	Distributor for fixed cabling in manhole - manhole A to E with Ethernet (athletics)	TB2 A-E-RJ	429
	Distributor for fixed cabling with RJ45 socket - timing house (athletics)	TB2 F	741
	Distributor for fixed cabling - manhole wind (athletics)	TB W	399

	Mobile athletics cabling on cable reel (100 m)	TBM A-D	809
	Mobile athletics cabling for finish house	TBM-F2	408

START JUDGE SJ - False Start System for Athletics		
Start Judge SJ2 with cables incl. SJT2, e-Start, SU3, HS4-2, BANG2, WTN-PB, 199-20, KT150H, KT313-30, 000-01	SJ2-C	9.658
Start Judge SJ2 with WTN (radio) incl. SJT2, e-Start W, BANG2, BANG-HS, WTN-PB	SJ2-W	8.719
Start Judge SJ2 for Training incl. SJS2, WTN, WTN-PB, USB-WTN, PS24-70A	SJ2-T	2.496
Start Judge transport cart including controller and battery	SJT2	5.058
Start Judge Sensor with built-in speaker	SJS2	1.183
Olympic starting block for athletics - IAAF certificated starting block	STAMA	248
Timing System for Swimming		
TimeManager for swimming with PC software and case TN-SWIM	TM-SWIM	3.541
Swim terminal - connection box used for every lane	SWT3	350
Active speaker	SPA2	796
Passive speaker	SPP2	429
Touch pad for swimming - 2400 x 910 mm (94,5" x 35,8"), incl. cable 309-2.5	TP2400C	2.582
Touch pad for swimming - 1890 x 910 mm (74,4" x 35,8"), incl. cable 309-2.5	TP1890C	2.121
Touch pad for swimming - 1890 x 610 mm (74,4" x 24"), incl. fix cable	TP1890C60	1.946
Touch pad for swimming - 1580 x 610 mm (62,2" x 24"), incl. fix cable	TP1580C60	1.798
Touch pad for swimming - 914 x 910 mm, incl. cable 309-2.5	TP914C	1.700
Holder for Touchpad - Single frame incl. dowel, glue and protection screw	TP-S	68
Holder for Touchpad - Double frame incl. dowel, glue and protection screw	TP-D140	68
Fastener for touch pads to fix them from the upper side of the podium	TP-T	46
NEW Overflow fastener for tochpad (set of 2 pieces)	TP-G2-S	128
NEW Rubber spanner to fix the touchpad around the starting block	TP-RS	46
Transport cart for up to 12 touch pads	Caddy X	2.409
Conversion kit for TP24 with new lamellas (lamellas and mounting sheets)	L-TP24	419
Conversion kit for TP18 with new lamellas (lamellas and mounting sheets)	L-TP18	334
Cable set for 4 lanes (1 x 200-20, 3 x 200-04,SWT-END) start side	SWCBL4S	507
Cable set for 4 lanes (1 x KT200Z10, 3 x 200-04,SWT-END) turn side	SWCBL4T	942
Cable set for 6 lanes (1 x 200-20, 5 x 200-04, SWT-END) start side	SWCBL6S	686
Cable set for 6 lanes (1 x KT200Z10, 5 x 200-04, SWT-END) turn side	SWCBL6T	1.120
Cable set for 8 lanes (1 x 200-20, 7 x 200-04, SWT-END) start side	SWCBL8S	864
Cable set for 8 lanes (1 x KT200Z10, 7 x 200-04, SWT-END) turn side	SWCBL8T	1.299
Cable set for 10 lanes (1 x 200-20, 9 x 200-04, SWT-END) start side	SWCBL10S	1.042
Cable set for 10 lanes (1 x KT200Z10, 9 x 200-04, SWT-END) turn side	SWCBL10T	1.477
Speaker cable set for 4 lanes (1 x KT201Z10, 1 x 201-07)	SWSPA4	993
Speaker cable set for 6 lanes (1 x KT201Z10, 2 x 201-07)	SWSPA6	1.096
Speaker cable set for 8 lanes (1 x KT201Z10, 3 x 201-07)	SWSPA8	1.198
Speaker cable set for 10 lanes (1 x KT201Z10, 4 x 201-07)	SWSPA10	1.301
Plastic starting block with contact plate and back plate (740 x 560 x 400 mm)	SO5	2.869
Starting block with contact plate and back plate (740 x 560 x 400 mm)	SO7	5.866
Swim relay pad with back plate (screw fastening, 740 x 560 x 40 mm)	SWR7	3.228
Swim relay pad with back plate belt fastening, 740 x 560 x 40 mm)	SWR7M	3.443
Backstroke start aid	BSA	1.205
Backstroke start aid for OMEGA starting blocks	BSA-T	1.260
Cabling for Semiautomatic timing system (8 lanes)	MC8-S2	1.065
Cabling for Swim-Training system	MC2-S	429
Simulator for Swimming with 10 Lanes (double-sided)	Swim-Sim10	1.652
LED-Display Board for Swimming - 15 cm - Indoor		
1 line with 5 digits, 15 cm, built-in power supply for mains (event, heat)	D-1xSW15-5-I	1.481
1 line with 7 digits, 15 cm, built-in power supply for mains	D-1xSW15-7-I	1.590
1 line with 8 digits, 15 cm, scrolling, built-in power supply for mains	D-1xSW15-8-I	1.670
3 lines, each 7 digits, 15 cm, built-in power supply for mains	D-3xSW15-7-I	3.183
4 lines, each 7 digits, 15 cm, built-in power supply for mains	D-4xSW15-7-I	3.958
5 lines, each 7 digits, 15 cm, built-in power supply for mains	D-5xSW15-7-I	4.732
5 lines, each 8 digits, 15 cm, built-in power supply for mains	D-5xSW15-8-I	5.115
6 lines, each 7 digits, 15 cm, built-in power supply for mains	D-6xSW15-7-I	6.069
4 lines, each 7 digits, 15 cm, built-in power supply for mains	D-2x3xSW15-7-I	6.069
8 lines, each 7 digits, 15 cm, built-in power supply for mains, two boards	D-2x4xSW15-7-I	7.621
10 lines, each 7 digits, 15 cm, built-in power supply for mains, two boards	D-2x5xSW15-7-I	9.170
10 lines, each 8 digits, 15 cm, built-in power supply for mains, two boards	D-2x5xSW15-8-I	9.938
LED-Display Board for Swimming - 25 cm - Indoor		
1 line with 5 digits, 25 cm, built-in power supply for mains (event, heat)	D-1xSW25-5-I	2.308
1 line with 7 digits, 25 cm, built-in power supply for mains	D-1xSW25-7-I	2.491
1 line with 8 digits, 25 cm, scrolling, built-in power supply for mains	D-1xSW25-8-I	2.656
3 lines, each 7 digits, 25 cm, built-in power supply for mains	D-3xSW25-7-I	5.792
4 lines, each 7 digits, 25 cm, built-in power supply for mains	D-4xSW25-7-I	7.456

5 lines, each 7 digits, 25 cm, built-in power supply for mains	D-5xSW25-7-I	9.119
5 lines, each 8 digits, 25 cm, built-in power supply for mains	D-5xSW25-8-I	9.591
6 lines, each 7 digits, 25 cm, built-in power supply for mains	D-6xSW25-7-I	11.764
8 lines, each 7 digits, 25 cm, built-in power supply for mains, two boards	D-2x4xSW25-7-I	14.620
10 lines, each 7 digits, 25 cm, built-in power supply for mains, two boards	D-2x5xSW25-7-I	17.945
10 lines, each 8 digits, 25 cm, built-in power supply for mains, two boards	D-2x5xSW25-8-I	18.887
LED-Display Board for Swimming - 15 cm - Outdoor		
1 line with 5 digits, 25 cm, built-in power supply for mains (event, heat)	D-1xSW15-5-O	1.602
1 line with 7 digits, 15 cm, built-in power supply for mains	D-1xSW15-7-O	1.720
1 line with 8 digits, 15 cm, scrolling, built-in power supply for mains	D-1xSW15-8-O	1.817
3 lines, each 7 digits, 15 cm, built-in power supply for mains	D-3xSW15-7-O	3.566
4 lines, each 7 digits, 15 cm, built-in power supply for mains	D-4xSW15-7-O	4.470
5 lines, each 7 digits, 15 cm, built-in power supply for mains	D-5xSW15-7-O	5.371
5 lines, each 8 digits, 15 cm, scrolling, built-in power supply for mains	D-5xSW15-8-O	5.848
6 lines, each 7 digits, 15 cm, built-in power supply for mains	D-6xSW15-7-O	6.838
6 lines, each 7 digits, 15 cm, built-in power supply for mains, two boards	D-2x3xSW15-7-O	6.838
8 lines, each 7 digits, 15 cm, built-in power supply for mains, two boards	D-2x4xSW15-7-O	8.645
10 lines, each 7 digits, 15 cm, built-in power supply for mains, two boards	D-2x5xSW15-7-O	10.450
10 lines, each 8 digits, 15 cm, built-in power supply for mains, two boards	D-2x5xSW15-8-O	11.401
LED-Display Board for Swimming - 25 cm - Outdoor		
1 line with 4 digits, 25 cm, built-in power supply for mains (event, heat)	D-1xSW25-5-O	2.511
1 line with 7 digits, 25 cm, built-in power supply for mains	D-1xSW25-7-O	2.803
1 line with 8 digits, 25 cm, scrolling, built-in power supply for mains	D-1xSW25-8-O	3.012
3 lines, each 7 digits, 25 cm, built-in power supply for mains	D-3xSW25-7-O	6.723
4 lines, each 7 digits, 25 cm, built-in power supply for mains	D-4xSW25-7-O	8.698
5 lines, each 7 digits, 25 cm, built-in power supply for mains	D-5xSW25-7-O	10.671
5 lines, each 8 digits, 25 cm, built-in power supply for mains	D-5xSW25-8-O	11.168
6 lines, each 7 digits, 25 cm, built-in power supply for mains	D-6xSW25-7-O	12.909
8 lines, each 7 digits, 25 cm, built-in power supply for mains, two boards	D-2x4xSW25-7-O	17.099
10 lines, each 7 digits, 25 cm, built-in power supply for mains, two boards	D-2x5xSW25-7-O	21.050
10 lines, each 8 digits, 25 cm, built-in power supply for mains, two boards	D-2x5xSW25-8-O	22.044
CYCLING		
Cycling starting machine (1 piece)	ST-BSM1	15.606
CycleStart system complete for mobile installation	CS-M	12.138
CycleStart system complete for permanent installation	CS-P	11.669
CycleStart LED-display board, 3 digits,25 cm, start light red+green, horn,	D-LINE250-3-RG-SP	1.956
Distribution box central - permanent installation	VELO-P-B	1.844
Distribution box RED (home) - permanent installation	VELO-P-A	827
Distribution box GREEN (stretch) - permanent installation	VELO-P-C	827
Distribution box SPRINT - permanent installation	VELO-P-D	575
Distribution box START 200 m - permanent installation	VELO-P-E	655
Distribution box timing - permanent installation	VELO-P-F	827
Distribution box for 100 m intermediate time - permanent installation	VELO-P-G	450
Distribution box central - mobile installation	VELO-M-B	2.021
Distribution box RED (home) - mobile installation	VELO-M-A	892
Distribution box GREEN (stretch) - mobile installation	VELO-M-C	892
Distribution box SPRINT - mobile installation	VELO-M-D	632
Distribution box START 200 m - mobile installation	VELO-M-E	632
Distribution box timing - mobile installation	VELO-M-F	772
Distribution box for 100 m intermediate time - mobile installation	VELO-M-G	633
SKI JUMPING		
Display with 6 x 9 cm digits and start light incl. Timy3 W and PS12A	D-SDA1-S	3.226
Display with 6 x 9 cm digit and start light	D-SDA1	2.011
FOOTBALL SPEED:		
Ballspeed with radar, display board D-LINE150-O-3-E0, TRI128 + TRI-S5	BS-R150	4.247
Ballspeed with radar, display board D-LINE250-O-3-E0, TRI128 + TRI-S5	BS-R250	4.641
SPEED-MASTER Radar Sensor with cable 288-10	SPEED-MASTER	2.705

LED-Display Board Indoor and Outdoor			
D-LINE with 57 mm figure height - Indoor			
LED, figure height 57 mm, 2 digits, no space	D-LINE57-I-2-E0		871
LED, figure height 57 mm, 3 digits, no space	D-LINE57-I-3-E0		925
LED, figure height 57 mm, 4 digits, no space	D-LINE57-I-4-E0		981
LED, figure height 57 mm, 5 digits, no space	D-LINE57-I-5-E0		1.036
LED, figure height 57 mm, 6 digits, no space	D-LINE57-I-6-E0		1.090
LED, figure height 57 mm, 7 digits, no space	D-LINE57-I-7-E0		1.146
LED, figure height 57 mm, 8 digits, no space	D-LINE57-I-8-E0		1.201
LED, figure height 57 mm, 9 digits, no space	D-LINE57-I-9-E0		1.255
D-LINE with 100 mm figure height - Indoor			
LED, figure height 100 mm, 2 digits, no space	D-LINE100-I-2-E0		972
LED, figure height 100 mm, 3 digits, no space	D-LINE100-I-3-E0		1.077
LED, figure height 100 mm, 4 digits, no space	D-LINE100-I-4-E0		1.184
LED, figure height 100 mm, 5 digits, no space	D-LINE100-I-5-E0		1.286
LED, figure height 100 mm, 6 digits, no space	D-LINE100-I-6-E0		1.393
LED, figure height 100 mm, 7 digits, no space	D-LINE100-I-7-E0		1.499
LED, figure height 100 mm, 8 digits, no space	D-LINE100-I-8-E0		1.605
LED, figure height 100 mm, 9 digits, no space	D-LINE100-I-9-E0		1.708
D-LINE with 80 mm figure height - Outdoor			
LED, figure height 80 mm, 2 digits, no space	D-LINE80-O-2-E0		937
LED, figure height 80 mm, 3 digits, no space	D-LINE80-O-3-E0		1.025
LED, figure height 80 mm, 4 digits, no space	D-LINE80-O-4-E0		1.110
LED, figure height 80 mm, 5 digits, no space	D-LINE80-O-5-E0		1.195
LED, figure height 80 mm, 6 digits, no space	D-LINE80-O-6-E0		1.281
LED, figure height 80 mm, 6 digits, no space - double-sided	D-LINE80d-O-6-E0		2.020
LED, figure height 80 mm, 7 digits, no space	D-LINE80-O-7-E0		1.366
LED, figure height 80 mm, 8 digits, no space	D-LINE80-O-8-E0		1.454
LED, figure height 80 mm, 9 digits, no space	D-LINE80-O-9-E0		1.540
D-LINE with 150 mm figure height - Outdoor			
LED, figure height 150 mm, 2 digits, no space	D-LINE150-O-2-E0		1.072
LED, figure height 150 mm, 3 digits, no space	D-LINE150-O-3-E0		1.201
LED, figure height 150 mm, 4 digits, no space	D-LINE150-O-4-E0		1.334
LED, figure height 150 mm, 5 digits, no space	D-LINE150-O-5-E0		1.467
LED, figure height 150 mm, 6 digits, no space	D-LINE150-O-6-E0		1.599
LED, figure height 150 mm, 6 digits, no space - double-sided	D-LINE150d-O-6-E0		2.577
LED, figure height 150 mm, 7 digits, no space	D-LINE150-O-7-E0		1.731
LED, figure height 150 mm, 8 digits, no space	D-LINE150-O-8-E0		1.861
LED, figure height 150 mm, 9 digits, no space	D-LINE150-O-9-E0		1.994
D-LINE with 250 mm figure height - Outdoor			
LED, figure height 250 mm, 2 digits, no space	D-LINE250-O-2-E0		1.330
LED, figure height 250 mm, 3 digits, no space	D-LINE250-O-3-E0		1.596
LED, figure height 250 mm, 4 digits, no space	D-LINE250-O-4-E0		1.863
LED, figure height 250 mm, 5 digits, no space	D-LINE250-O-5-E0		2.129
LED, figure height 250 mm, 6 digits, no space	D-LINE250-O-6-E0		2.394
LED, figure height 250 mm, 6 digits, no space - double-sided	D-LINE250d-O-6-E0		3.969
LED, figure height 250 mm, 7 digits, no space	D-LINE250-O-7-E0		2.662
LED, figure height 250 mm, 8 digits, no space	D-LINE250-O-8-E0		2.927
LED, figure height 250 mm, 9 digits, no space	D-LINE250-O-9-E0		3.192
D-LINE with 450 mm figure height - Outdoor			
LED, figure height 450 mm, 2 digits, no space	D-LINE450-O-2-E0		1.991
LED, figure height 450 mm, 3 digits, no space	D-LINE450-O-3-E0		2.486
LED, figure height 450 mm, 4 digits, no space	D-LINE450-O-4-E0		2.977
LED, figure height 450 mm, 5 digits, no space	D-LINE450-O-5-E0		3.469
LED, figure height 450 mm, 6 digits, no space	D-LINE450-O-6-E0		3.964
LED, figure height 450 mm, 7 digits, no space	D-LINE450-O-7-E0		4.456
LED, figure height 450 mm, 8 digits, no space	D-LINE450-O-8-E0		4.947
LED, figure height 450 mm, 9 digits, no space	D-LINE450-O-9-E0		5.442
D-LINE with 600 mm figure height - Outdoor			
LED, figure height 600 mm, 2 digits, no space	D-LINE600-O-2-E0		2.535
LED, figure height 600 mm, 3 digits, no space	D-LINE600-O-3-E0		3.248
LED, figure height 600 mm, 4 digits, no space	D-LINE600-O-4-E0		3.961
LED, figure height 600 mm, 5 digits, no space	D-LINE600-O-5-E0		4.673
LED, figure height 600 mm, 6 digits, no space	D-LINE600-O-6-E0		5.385
LED, figure height 600 mm, 7 digits, no space	D-LINE600-O-7-E0		6.099
LED, figure height 600 mm, 8 digits, no space	D-LINE600-O-8-E0		6.811
LED, figure height 600 mm, 9 digits, no space	D-LINE600-O-9-E0		7.524

Numeric Display Boards for Show Jumping			
	LED, figure height 150 mm, 3 ID-digits, 2 point-digits, 5 time digits	D-EQ150-3-2-5-E2	2.200
	LED, figure height 150 mm, 2 lines, 3 ID-digits, 2 point-digits, 5 time digits	D-EQ150-3-2-V5-E2	2.232
	LED, figure height 250 mm, 3 ID-digits, 2 point-digits, 5 time digits	D-EQ250-3-2-5-E2	3.572
	LED, figure height 250 mm, 2 lines, 3 ID-digits, 2 point-digits, 5 time digits	D-EQ250-3-2-V5-E2	3.681
	LED, figure height 450 mm, 2 lines, 3 ID-digits, 2 point-digits, 5 time digits	D-EQ450-3-2-V5-E2	6.187
LED-Time Temperature Display Board Indoor			
	Figure height 57 mm, 4 digits, 340 x 130 x 60 mm, single-sided	D-SAT57-4-SS-I	843
	Figure height 57 mm, 6 digits, 500 x 130 x 60 mm, single-sided	D-SAT57-6-SS-I	931
	Figure height 80 mm, 4 digits, 400 x 150 x 60 mm, single-sided	D-SAT80-4-SS-I	1.019
	Figure height 80 mm, 6 digits, 600 x 150 x 60 mm, single-sided	D-SAT80-6-SS-I	1.157
	Figure height 100 mm, 4 digits, 550 x 180 x 60 mm, single-sided	D-SAT100-4-SS-I	1.005
	Figure height 100 mm, 6 digits, 800 x 180 x 60 mm, single-sided	D-SAT100-6-SS-I	1.175
	Figure height 150 mm, 4 digits, 730 x 250 x 60 mm, single-sided	D-SAT150-4-SS-I	1.214
	Figure height 150 mm, 6 digits, 960 x 250 x 60 mm, single-sided	D-SAT150-6-SS-I	1.428
	Figure height 250 mm, 4 digits, 1100 x 350 x 60 mm, single-sided	D-SAT250-4-SS-I	1.616
	Figure height 250 mm, 6 digits, 1500 x 350 x 60 mm, single-sided	D-SAT250-6-SS-I	2.038
	Double-sided model add 75 % (110 mm thick)	-DS option	plus 75%
LED-Time Temperature Display Board Outdoor			
	Figure height 80 mm, 4 digits, 400 x 150 x 60, single-sided	D-SAT80-4-SS-O	1.069
	Figure height 80 mm, 6 digits, 600 x 150 x 60, single-sided	D-SAT80-6-SS-O	1.231
	Figure height 150 mm, 4 digits, 730 x 250 x 60 mm, single-sided	D-SAT150-4-SS-O	1.284
	Figure height 150 mm, 6 digits, 960 x 250 x 60 mm, single-sided	D-SAT150-6-SS-O	1.534
	Figure height 250 mm, 4 digits, 1100 x 350 x 60 mm, single-sided	D-SAT250-4-SS-O	1.785
	Figure height 250 mm, 6 digits, 1500 x 350 x 60 mm, single-sided	D-SAT250-6-SS-O	2.291
	Figure height 450 mm, 4 digits, 1900 x 600 x 80 mm, single-sided	D-SAT450-4-SS-O	2.841
	Figure height 450 mm, 6 digits, 2490 x 600 x 80 mm, single-sided	D-SAT450-6-SS-O	3.778
	Figure height 600 mm, 4 digits, 2490 x 800 x 70 mm, single-sided	D-SAT600-4-SS-O	3.775
	Figure height 600 mm, 6 digits, 3400 x 800 x 70 mm, single-sided	D-SAT600-6-SS-O	5.129
	Double-sided model add 75 % (90 or 110 mm thick)	-DS option	plus 75%
Accessories for Display Boards - Indoor and Outdoor			
***	7 segment-digit 15 cm (electromechanic)	D15	300
***	7 segment-digit 25 cm (electromechanic)	D25	419
	Powerpack (built-in rechargeable batteries + charging-set)	PP5	634
***	Power supply for GAZ5 (integrated in the GAZ5)	PS5	482
***	Main electronic board (CPU) for GAZ5	GAZ5-CPU	485
	LED-Digit 57 mm Indoor	D-DI57	68
	LED-Digit 100 mm Indoor	D-DI100	127
	LED-Digit 80 mm Outdoor	D-DO80	97
	LED-Digit 150 mm Outdoor	D-DO150	138
	LED-Digit 250 mm Outdoor	D-DO250	265
	LED-Digit 450 mm Outdoor	D-DO450	480
	Space 57 mm (size of one digit)	D-E57	13
	Space 100 mm (size of one digit)	D-E100	22
	Space 80 mm (size of one digit)	D-E80	19
	Space 150 mm (size of one digit)	D-E150	35
	Space 250 mm (size of one digit)	D-E250	54
	Space 450 mm (size of one digit)	D-E450	121
	Space 600 mm (size of one digit)	D-E600	242
	Temperature sensor for air with 3 m cable to clamp (from SNo. 2307xxxxx)	D-AT2	55
	Temperature sensor for air with 3 m cable and plug, socket in D-LINE (from SNo.	D-AT2-D	124
	Temperature sensor - water (cable length 10 m)	D-WT	330
	Light sensor	D-LS	101
	GPS synchronization	D-GPS	489
	GPS-Receiver Board PCB (used additional to the GPS-Receiver)	D-GPS-PCB	277
	DCF synchronization - receiver with 3 m cable to clamp	D-DCF	218
	DCF synchronization - receiver with 3 m cable and plug, socket in D-LINE	D-DCF-D	315
	Ethernet for data communication and synchronization using NTP protocol	D-ETH	230
	Carrying bag for display boards – model D-LINE150-O-6-E0	GTT15	71
	Carrying bag for display boards – model D-LINE250-O-6-E0	GTT25	112
	Floor holder (2 pieces) to stand the display board at the floor	FH	163

TENNIS SCOREBOARDS		
Tennis scoreboard for 3 sets, 15 cm figure height, incl. Timy3 W and 234-10	D-TA615	3.890
Tennis scoreboard for 5 sets, 15 cm figure height, incl. Timy3 W and 234-10	D-TA815	4.405
Tennis scoreboard for 5 sets, 15 cm figure height + time of day + Timy3 W	D-TA815-T415	4.997
Tennis scoreboard, 5 sets, 15cm + player name + time of day + D-CKN	D-TA815-T415-T	5.860
Tennis scoreboard, 5 sets, 15cm +player name+time of day+game time+D-CKN	D-TA815-2xT415-T	6.184
Tennis scoreboard for 3 sets, 25 cm figure height, incl. Timy3 W and 234-10	D-TA625	5.574
Tennis scoreboard for 5 sets, 25 cm figure height, incl. Timy3 W and 234-10	D-TA825	6.687
Tennis scoreboard for 5 sets, 25 cm figure height + time of day + Timy3 W	D-TA825-T415	7.401
Tennis scoreboard, 5 sets, 25cm + player name + time of day + D-CKN	D-TA825-T415-T	9.281
Tennis scoreboard, 5 sets, 25cm+player name+time of day+game time+D-CKN	D-TA825-2xT415-T	10.677
Tennis scoreboard for 3 sets, 45 cm figure height, incl. Timy3 W and 234-10	D-TA645	9.255
Tennis scoreboard for 5 sets, 45 cm figure height, incl. Timy3 W and 234-10	D-TA845	11.072
FOOTBALL (SOCCER) SCOREBOARDS - Outdoor with radio and D-CKNF-WTN-A		
Football board: digits 300 mm, config. 8-88-8, 1800 x 550 x 70 mm with radio	D-LINE300-O-4-E2	2.783
Football board: digits 450 mm, config. 8-88-8, 2500 x 800 x 70 mm with radio	D-LINE450-O-4-E2	3.613
Football board: digits 600 mm, config. 8-88-8, 3300 x 1100 x 70 mm with radio	D-LINE600-O-4-E2	4.662
Football board: digits 300 mm, config. 18-88-18, 1800 x 550 x 70 mm with radio	D-LINE300-O-2 2X19-E1	2.986
Football board: digits 450 mm, config. 18-88-18, 2500 x 800 x 70 mm with radio	D-LINE450-O-2 2X19-E1	3.925
Football board: digits 600 mm, config. 18-88-18, 3300 x 1100 x 70 mm with radio	D-LINE600-O-2 2X19-E1	5.053
Football board: digits 300 mm - time (2 digits), goal (0 - 9) with radio	D-FB300-4-O-WR	2.650
Football board: digits 450 mm - time (2 digits), goal (0 - 9) with radio	D-FB450-4-O-WR	3.525
Football board: digits 300 mm - time (2 digits), goal (0 - 19) with radio	D-FB300-2&2XH-O-WR	2.835
Football board: digits 450 mm - time (2 digits), goal (0 - 19) with radio	D-FB450-2&2XH-O-WR	3.805
Football board: time (2 digits/450 mm), goal (0-19/300 mm) with radio	D-FB300-450-2&2XHO-WR	3.277
Control unit for football scoreboards with 3 buttons	D-CKNF-WTN-A	722
FOOTBALL (SOCCER) SCOREBOARDS - Outdoor with D-CKN		
Football board: digits 300 mm, config. 8-88:88-8, 2300 x 550 x 70 mm	D-LINE300-O-6-E2-T	2.983
Football board: digits 450 mm, config. 8-88:88-8, 3300 x 800 x 70 mm	D-LINE450-O-6-E2-T	4.105
Football board: digits 600 mm, config. 8-88:88-8, 4200 x 1100 x 70 mm	D-LINE600-O-6-E2-T	5.527
Football board: digits 300 mm, config. 18-88:88-18, 2300 x 550 x 70 mm	D-LINE300-O-4 2X19-E1	3.186
Football board: digits 450 mm, config. 18-88:88-18, 3300 x 800 x 70 mm	D-LINE450-O-4 2X19-E1	4.417
Football board: digits 600 mm, config. 18-88:88-18, 4200 x 1100 x 70 mm	D-LINE600-O-4 2X19-E1	5.918
Football board: digits 300 mm, config. 8-88:88.88-8, 2800 x 550 x 70 mm	D-LINE300-O-8A-E2	3.525
Football board: digits 450 mm, config. 8-88:88.88-8, 4100 x 800 x 70 mm	D-LINE450-O-8A-E2	4.942
Football board: digits 600 mm, config. 8-88:88.88-8, 5100 x 1100 x 70 mm	D-LINE600-O-8A-E2	6.740
Football board: digits 300 mm, config. 18-88:88.88-18, 2800 x 550 x 70 mm	D-LINE300-O-6 2X19-E1	3.731
Football board: digits 450 mm, config. 18-88:88.88-18, 4100 x 800 x 70 mm	D-LINE450-O-6 2X19-E1	5.253
Football board: digits 600 mm, config. 18-88:88.88-18, 5100 x 1100 x 70 mm	D-LINE600-O-6 2X19-E1	7.132
Football scoreboard: figure 300 mm - time (4 digits), goal (0 - 19)	D-FB3-19-300	3.168
Football-athletics board: figure 300 mm- time (6 digits), goal (0 - 19)	D-FB3-19-A-300	3.781
Football board: figure 450 mm - time (4 digits), goal (0 - 19) - 1 piece	D-FB3-19-450-1	4.896
Football-athletics display board: figure 450 mm-time (6 digits), goal (0 - 19)	D-FB3-19-A-450	5.830
Football board: time figures 450 mm and goal figures 600 mm (0 - 19)	D-FB3-19-600/450	5.321
Football board: figure 600 mm - time (4 digits), goal (0 - 19)	D-FB3-19-600	6.740
Football-athletics display board: figure 600mm- time (6 digits), goal (0 - 19)	D-FB3-19-A-600	8.307
Football board: figure 1000 mm - time (4 digits), goal (0 - 19)	D-FB3-19-1000	15.297
Football board: figure 1500 mm - time (4 digits), goal (0 - 19)	D-FB3-19-1500	26.781
Any D-FB3 scoreboard might be made in TRSDES technology (TRaffic Sign DESign). A board in such a technology costs an additional 20 %. The front surface is powder coated metal and each LED has its own lens. The technology guarantees maximal possible, magnificent contrast. TRSDES technology LEDs can display different colors.	-TRSDES	+20%

Multisport Scoreboards with 15 cm digit height		
Multisport - 13 digits - 15 cm - universal board	D-S1S-FIB	2.141
Multisport - 13 digits - 15 cm - universal board with 2 x 12 fouls	D-S3S-FIB	3.530
Multisport - 15 cm - universal board with 4 penalty times and 2 x 12 fouls	D-S5S-FIB	4.732
Multisport Scoreboards with 25 cm digit height		
Multisport - 13 digits - 25 cm - universal board	D-M1S-FIB	3.198
Multisport - 13 digits - 25 cm - universal board + 2 x 12 pers. fouls	D-M3S-FIB	5.220
Multisport - 13 digits - 25 cm - universal board + 2 x 12 pers. fouls + no.	D-M3SP-FIB	7.314
Multisport - 13 digits - 25 cm - handball - horizontal with 4 x penalty time	D-M4SV2-FIB	4.040
Multisport - 13 digits - 25 cm - handball - vertical with 4 x penalty time	D-M4SH2-FIB	5.385
Multisport - 13 digits - 25 cm, 4 x penalty plus 2 x 12 pers. fouls	D-M5S-FIB	6.360
Multisport - 13 Digits - 25 cm, 4 x penalty + no., 2 x 12 pers. Fouls	D-M6S-FIB	6.578
Multisport - 13 digits - 25 cm, 4 x penalty + no., 2 x 12 fouls + no.	D-M6SP-FIB	8.415
Multisport - 13 digits - 25 cm, 4 x penalty + no., 2 x 12 fouls + no. + points	D-M6SPP-FIB	10.604
Multisport - 13 digits - 25 cm, 4 x penalty + no., 2 x 12 dig. fouls + no. + points	D-M6SPFP-FIB	10.303
Multisport - 25 cm, 4 x penalty + no., 2 x 12 no., name, dig. fouls, point	D-M6SBHV-FIB	23.592
Team name built-in above display, 2 x 9 character, about 185 mm height	TNP1V11-9	1.249
Multisport Scoreboards with 30 cm digit height		
Multisport - 13 digits - 30 cm - universal board	D-L1S-FIB	4.453
Multisport - 13 digits - 30 cm - universal board + 2 x 12 pers. fouls	D-L3S-FIB	7.438
Multisport - 13 digits - 30 cm - universal board + 2 x 12 pers. fouls + no.	D-L3SP-FIB	11.643
Multisport - 13 digits - 30 cm - handball - horizontal with 4 x penalty time	D-L4SV2-FIB	6.242
Multisport - 13 digits - 30 cm - handball - vertical with 4 x penalty time	D-L4SH2-FIB	6.987
Multisport - 13 digits - 30 cm, 4 x penalty plus 2 x 12 pers. fouls	D-L5S-FIB	8.781
Multisport - 13 digits - 30 cm, 4 x penalty + no., 2 x 12 pers. fouls	D-L6S-FIB	9.626
Multisport - 13 digits - 30 cm, 4 x penalty + no., 2 x 12 fouls + no.	D-L6SP-FIB	13.459
Multisport - 13 digits - 30 cm, 4 x penalty + no., 2 x 12 fouls + no. + points	D-L6SPP-FIB	16.769
Multisport - 13 digits - 30 cm, 4 x penalty + no., 2 x 12 dig. fouls + no + points	D-L6SPFP-FIB	16.039
Team name built-in above display, 2 x 8 character, about 225 mm height	TNLP1V11-8	2.295
Multisport Scoreboards - FIBA Models		
Multisport - FIBA model with player names and penalty (vertical)	D-LS-BHV-V-FIB	41.077
Multisport - FIBA model with player names and penalty (horizontal)	D-LS-BHV-H-FIB	43.409
Multisport - FIBA model with player names	D-LS-FIB	34.254
Ice Hockey Scoreboards		
Ice hockey indoor: digit height 25, 18 and 15 cm - penalty without player no.	D-M5SH2H	5.377
Ice hockey indoor: digit height 25, 18 and 15 cm - penalty with player no.	D-M4SH2H	6.316
Ice hockey indoor: digit height 30, 25 and 18 cm - penalty without player no.	D-L5SH2H	7.308
Ice hockey indoor: digit height 30, 25 and 18 cm - penalty with player no.	D-L4SH2H	8.189
Ice hockey outdoor: digit height 25, 18 and 15 cm - penalty without player no.	D-M5SH2H-O	5.886
Ice hockey outdoor: digit height 25, 18 and 15 cm - penalty with player no.	D-M4SH2H-O	6.919
Ice hockey outdoor: digit height 30, 25 and 18 cm - penalty without player no.	D-L5SH2H-O	8.010
Ice hockey outdoor: digit height 30, 25 and 18 cm - penalty with player no.	D-L4SH2H-O	8.978
Ice hockey goal light - two pieces with connection box	D-HGL	669
Water Polo Scoreboards		
Water polo scoreboard indoor: penalty - figure height 15 cm	D-S15BP2W	4.311
Water polo scoreboard indoor: penalty - ind. fouls - figure height 15 cm	D-S15-5W	5.651
Water polo scoreboard indoor: penalty - ind. fouls - figure height 25/15 cm	D-M5SW	6.626
above water polo scoreboards as outdoor model	-O	plus 10%
Basketball Shot Clock for Multisport Scoreboard - Indoor		
Basketball - LED, 2 digits, 10 cm including horn and keyboard	D-SC10SD-PH	1.154
Basketball - LED, 2 digits, 15 cm including horn and keyboard	D-SC15SD-PH	1.231
Basketball - LED, 2 digits, 25 cm including horn and keyboard	D-SC25SD-PH	1.579
Basketball - LED, 25 cm offence time, 15 cm game time incl. horn and keyboard	D-SC25SFD-PH	2.173
Water Polo Shot Clock for Multisport Scoreboard - Indoor		
Water polo - LED, 15 cm, including horn and operating unit	D-SC15W-PH	1.352
Water polo - LED, 25 cm, including horn and operating unit	D-SC25W-PH	1.796
Water polo - LED, 25 + 15 cm, including horn and operating unit	D-SC25GT15W-PH	2.326
Water polo - LED, 45 + 25 cm, including horn and operating unit	D-SC45GT25W-PH	3.731
above water polo shot clocks as outdoor model	-O	plus 10%
Stand for shot clock for two shot clocks)	D-STNW	245

Shot Clock Accessories		
Loud horn, added on Multisport, sound only at end of shot period	-SH	429
Loud horn built into Shot Clocks (two pieces)	-LH	705
Double-sided model	-DS	plus 75 %
Triple-sided model	-3S	plus 175 %
Four-sided model	-4S	plus 275 %
End of period light for basketball (LED-frame around basket back plate), pair	D-EPL2	990
Karate Scoreboards		
Karate scoreboard	D-BVK-5JC	2.930
as D-BVK plus 2 x country (2 x 3 characters)	D-BVK-CT-5JC	3.483
as D-BVK-CT plus 2 x name (2 x 9 characters)	D-BVK-T-5JC	4.953
Double-sided model add 75 %	-DS option	plus 75%
5 judges' consoles for voting in Kata	D-5JC	532
Taekwondo Scoreboards		
Taekwondo scoreboard with judge voting system	D-BVT-0	2.824
Taekwondo scoreboard with judge voting system	D-BVT	3.033
as D-BVT plus 2 x country (2 x 3 characters)	D-BVT-CT	3.634
as D-BVT-CT plus 2 x name (2 x 9 characters)	D-BVT-T	5.118
Double-sided model add 75 %	-DS option	plus 75%
Judo Scoreboards		
Judo scoreboard	D-BVJ	2.476
as D-BVJ plus 2 x country (2 x 3 characters)	D-BVJ-CT	3.089
as D-BVJ-CT plus 2 x name (2 x 9 characters)	D-BVJ-T	4.561
Double-sided model add 75 %	-DS option	plus 75%
Weight Lifting Scoreboards		
Weight lifting scoreboard	D-BVDT-S2	6.404
as D-BVDT-S2 plus 2 x country (2 x 9 characters)	D-BVDT-S1	7.865
Double-sided model add 75 %	-DS option	plus 75%
Accessories Multisport LED Scoreboards		
Control terminal for Multisport scoreboards	D-CKN	637
Control terminal for Multisport with radio WTN and rechargeable battery	D-CKN-WTN-A	958
Upgrade from D-CKN to D-CKN-WTN-A including WTN-DB	D-CKN-WTN-A-DB	805
Modification of D-CKN-TXA to D-CKN-WTN-A	D-CKN-WTN-MOD	461
PC keyboard for control terminal D-CKN	D-CKN-KB	44
External push-button with start and stop for D-CKN	D-CKA2	44
External push-button for shot clock with three keys for D-CKN	D-CKA3	58
Horn for Multisport (Replacement Part)	D-HORN	44
External Horn with power supply, 230 VAC, 100 dB	D-LH	371
Aluminum stand with 4 wheels	D-ST	271

Lap Counter			
	Lap counter LED 15 cm 2 digits single-sided with controller, tripod TRI128, PP	D-LCC2-15-1	1.576
	Lap counter LED 15 cm 2 digits double-sided with controller, tripod TRIMAN, PP	D-LCC2-15-2	2.821
	Lap counter LED 15 cm 2 digits triple-sided with controller, tripod TRIMAN, PP	D-LCC2-15-3	3.590
	Lap counter LED 25 cm 2 digits single-sided with controller, tripod TRIMAN, PP	D-LCC2-25-1	2.500
	Lap counter LED 25 cm 2 digits double-sided with controller, tripod TRIMAN, PP	D-LCC2-25-2	3.601
	Lap counter LED 25 cm 2 digits triple-sided with controller, tripod TRIMAN, PP	D-LCC2-25-3	4.708
	Lap counter LED 15 cm 3 digits single-sided with controller, tripod TRI128, PP	D-LCC3-15-1	1.735
	Lap counter LED 15 cm 3 digits double-sided with controller, tripod TRIMAN, PP	D-LCC3-15-2	3.098
	Lap counter LED 15 cm 3 digits triple-sided with controller, tripod TRIMAN, PP	D-LCC3-15-3	3.989
	Lap counter LED 25 cm 3 digits single-sided with controller, tripod TRIMAN, PP	D-LCC3-25-1	2.744
	Lap counter LED 25 cm 3 digits double-sided with controller, tripod TRIMAN, PP	D-LCC3-25-2	4.036
	Lap counter LED 25 cm 3 digits triple-sided with controller, tripod TRIMAN, PP	D-LCC3-25-3	5.324
	Lap counter LED 15 cm 2 digits single-sided with controller, bell, tripod TRIMAN, PP	D-LCCB2-15-1	2.293
	Lap counter LED 15 cm 2 digits double-sided with controller, bell, tripod TRIMAN, PP	D-LCCB2-15-2	3.061
	Lap counter LED 15 cm 2 digits triple-sided with controller, bell, tripod TRIMAN, PP	D-LCCB2-15-3	3.829
	Lap counter LED 25 cm 2 digits single-sided with controller, bell, tripod TRIMAN, PP	D-LCCB2-25-1	2.740
	Lap counter LED 25 cm 2 digits double-sided with controller, bell, tripod TRIMAN, PP	D-LCCB2-25-2	3.842
	Lap counter LED 25 cm 2 digits triple-sided with controller, bell, tripod TRIMAN, PP	D-LCCB2-25-3	4.949
	Lap counter LED 15 cm 3 digits single-sided with controller, bell, tripod TRIMAN, PP	D-LCCB3-15-1	2.452
	Lap counter LED 15 cm 3 digits double-sided with controller, bell, tripod TRIMAN, PP	D-LCCB3-15-2	3.337
	Lap counter LED 15 cm 3 digits triple-sided with controller, bell, tripod TRIMAN, PP	D-LCCB3-15-3	4.230
	Lap counter LED 25 cm 3 digits single-sided with controller, bell, tripod TRIMAN, PP	D-LCCB3-25-1	2.985
	Lap counter LED 25 cm 3 digits double-sided with controller, bell, tripod TRIMAN, PP	D-LCCB3-25-2	4.277
	Lap counter LED 25 cm 3 digits triple-sided with controller, bell, tripod TRIMAN, PP	D-LCCB3-25-3	5.564
	Lap counter for Speed Skating, 4 figures with 15 cm (2 x white 2 x red) with built in power pack (battery and charger), for outdoor use	D-LC-SS15-2x2-BAT-O	1.714
	Lap counter for Speed Skating, 4 figures with 25 cm (2 x white 2 x red) with built in power pack (battery and charger), for outdoor use	D-LC-SS25-2x2-BAT-O	2.373
Information Matrix Display Boards			
	LED-matrix display board, outdoor, 16 x 96 pixel, pixel pitch 15 mm active area 240 x 1440mm, casing 280 x 1480 x 100 mm, 1 LED per pixel	D-RTNM-P1V3-16x96-RO	2.888
	LED-matrix display board, outdoor, 16x96 pixel, pixel pitch 20 mm active area 320x1920mm, casing 360x1960x100 mm, 1 LED per pixel	D-RTNM-P1V4-16x96-RO	3.148
	LED-matrix display board, outdoor, 24x96 pixel, pixel pitch 20 mm active area 480 x 1920 mm, casing 520 x 1960 x 100 mm, 1 LED per pixel	D-RTNM-P1V4-24x96-RO	4.573
	Double-sided model add 75 %	-DS option	plus 75%
Video Walls			
NEW	Video Wall Outdoor Set, pixel pitch 6,69 mm, active area 1920 x 960 mm, resolution 288 x 144 pixel, alucase for mobile use, 2 modules incl. 2 x CH-STAND-EXL, 2 x CH-CUSH-EXL, CH-FLIGHT-EXL, CH-TB50, SCREENS and PCD-M	CHS-VFO6.67EXL-288x144	1.056
	Video Wall outdoor module, pixel pitch 6.69 mm, active area 960 x 960 mm, 144 x 144 pixel, Alucase for mobile use	CH-VFO6.67EXL-144x144	3.444
	Stand to stand the video wall on the floor (1 piece)	CH-STAND-EXL	399
	Top cushion, to protect video wall from the top	CH-CUSH-EXL	107
	Flight case for up to 4 modules, dimensions: ca. 1050 x 600 x 800 mm	CH-FLIGHT-EXL	753
	Video Controller for Video Wall	CH-TB50	1.629
	PCD multisport license for 3rd party video walls including adaption for layout (Swimming or D-CKN)	PCD-M	8.072
SPORT-SOFTWARE for the PC			
	Show Jumping - Software to control the timing and points (Freeware)	ALGE-SJ-T	
	Show Jumping - License for data import and list printing	EQU-EXP	537
	Show Jumping - License for info display (local data server is necessary)	EQU-Live	645
	Show Jumping - Adjustment of webhosting (this fee you pay only once)	EQU-INET-INST	495
	Show Jumping - Yearly fee for webhosting of results (EUQ-INET is necessary)	EQU-INET	537

ACCESSORIES		
Thermal paper for P5, Timy, and TdC 8001 (30 m)	RTP	3,08
	RMP	15
Case with full foam insert (to cut by yourself)	KL-FULL	193
Case for 1 x RLS3c with Reflector + 2 x TRI128	KL-RLS3c	193
Case for 1 x Windspeed WS2, 1 x TIMY, 1 x RTP, 1 x PS12A	KL-WS2	193
Case for 1 x Windspeed WS3, 1 x TIMY, 1 x RTP, 1 x PS12A	KL-WS3	193
Case for ASC3	KL-ASC3	193
Case for WTN-SET1 or WTN-SET2	KL-WTN-SET	193
Case for 1 x OPTIc3, 1 x WPC3-75, POE, 410 or 410-E3, Ethernet cable	KL-OPTIc3	193
Case for 4 x BBG + 1/2 insert	KL-BBG	193
Case for 1 x TIMY, 2 x (PR1a + PR1a-REF + SV4) 1 x STSn, + 1/2 insert	KL-TIMY	193
Case for 1 x IDCam, 1 x WP-IDCam, 1 x POE + 1/2 insert	KL-IDCAM	193
Case for TED2 + 3/4 insert	KL-TED2	193
Case for 3 x PR1a, 3 x PR1a-REF + 3/4 insert	KL-PR1a	193
Case for 1 x STSn, 1 x PR1a, 1 x PR1a-REF + 3/4 insert	KL-STSn	193
Caase for Athletic Start (e-Start, SU3, WTN-PB, Headset, 199-20, usw.)	KL-LAS	193
Transport case for SWIM 2000	TN-SWIM	258
Case for Timy	KS-TY1	48
Case for two photocells PR1a-R	KS-PR1	48
Case for e-Start, WTN-PB and SU3	KS-LAS	48
ALGE timing backpack	ATBP	146
Socket joint (for RLS3 or IDCam)	BHS	56
Tripod max. height 139 cm	TRI128	160
*** Tripod max. height 106.5 cm	TRI-S5	31
Tripod for photo finish with a max. height of 227 cm	TRIMAN	655
Tripod for photo finish with a max. height of 267 cm	TRI-PRO	1.363
Tripod for photo finish with a height of max. 366 cm	STATIV6	2.869
Clamp with 3/8" thread	CLAMP3/8	81
OTP-EPROM with new software	OTP-EPROM	162
Processor with integrated software	PROC	162
USB-RS232 adapter	USB-RS232	54
RS232 Adapter with optical isolation	RS232I	50
USB to WTN adapter with cable USB-mini and cable 280-03	USB-WTN	214
WIFI Adapter for USB	USB-WIFI	52
Protector for notebooks and tablets from 10 to 13.3 inch	iCap-MIN	214
Protector for notebooks and tablets from 14 to 16 inch	iCap-MID	224
Protector for notebooks and tablets from 17 to 19 inch	iCap-MAX	258
Terminator for SWT and SJ	SWT-END	81
CABLE REELS		
Cable reel without cable	KT3	140
Cable reel with 150 m field-telephone-line	KT150	310
Cable reel with 150 m field-telephone-line and holder for SJT (\$ 1 x)	KT150H	356
Cable reel with 300 m field-telephone-line	KT300	440
Cable reel with 500 m field-telephone-line	KT500	641
Cable reel KT199Z10 from TimeManager to Flash and SU2/SU3	KT199Z10	511
Cable reel TM SWIM - SWT (100 m)	KT200Z10	593
Cable reel TM SWIM - SPA Turn side (100 m)	KT201Z10	891
Kabeltrommel für Fahrrad mit 100 m Kabel (weibliche Buchse an Kabeltrommel)	KT214-Z10F	614
Kabeltrommel für Fahrrad mit 100 m Kabel (männliche Buchse an Kabeltrommel)	KT214-Z10M	614
Cable reel KT245Z10 (100 m) for anemometer (Timy or Timy2)	KT245Z10	563
Cable reel with 30 m cable between SJT2 and SJS2 (Start Judge SJ2)	KT313-30	604
Cable reel with 30 m cable between SJT2 and SJS2 with protection hose	KT313-30P	813
Cable reel with network cable for OPTIc3 and IDCam - 90 m (CAT6)	KT-RJ45G90	511

CABLES			
2-core cable (1 m) with green and black banana plug	000-01	28	
2-core cable (2 m) with green and black banana plug	000-02	30	
2-core cable (5 m) with green and black banana plug	000-05	34	
2-core cable (10 m) with green and black banana plug	000-10	42	
Photocell cable with DIN-plug for finish photocell (1 m)	001-01	34	
Photocell cable with DIN-plug for finish photocell (10 m)	001-10	51	
Photocell cable with DIN-plug for finish photocell (20 m)	001-20	92	
Photocell cable with DIN-plug for finish photocell (30 m)	001-30	123	
Photocell cable with DIN-plug for start photocell (1 m)	002-01	34	
Photocell cable with DIN-plug for start photocell (10 m)	002-10	62	
Photocell cable with DIN-plug for start photocell (20 m)	002-20	92	
Photocell cable with DIN-plug for start photocell (30 m)	002-30	123	
Photocell cable intermediate time (parallel slalom)	003-10	62	
Photocell cable intermediate time (parallel slalom)	003-20	72	
Synchron cable (1 m)	004-01	43	
Synchron cable (Teledata) 5 m	004-05	53	
Charging and power supply cable for Timy from external battery	008-02	91	
ASC Tele (universal cable) 10 m	017-10	68	
Photocell extension	018--5	171	
Push-button stop (DIN-plug) 2 m	020-02	74	
Push-button intermediate time or count-down (ASC1)	022-02	74	
Push-button with banana plug (2 m)	023-02	56	
Push-button with banana plug (10 m)	023-10	71	
Push-buttons for start (DIN-Plug) (2 m)	024-02	74	
Impulse cable for RLS1n with internal battery	027-02	34	
Battery connection-cable for D-LINE or GAZ (5 m)	032-05	144	
Connection cable GAZ - GAZ with data and supply	033-01	81	
2-core cable (10 m) with yellow and black banana plug for display board data	037-10	43	
On/Off-switch for RLS, stop	044--5	204	
On/Off-switch for RLS, start	045--5	204	
TdC8/S4/COMET-PC (9-pin) 2 m	067-02	70	
Data transmission from TED-RX to GAZ with supply	103-10	81	
Data transmission from TED-RX to PC 9-pin	104-10	84	
Data transmission from PC 9-pin to TED-TX or display board	105-10	84	
Adapter from one headset socket to two headset sockets (Y-cable)	112--2	85	
Adapter for TED-TX for free data transmission	119--2	85	
Cable between SJS2 or charging cable for SJ2S (12 m)	139-02	101	
Cable between SJS2 or charging cable for SJ2S (12 m) with protection hose	139-02P	119	
Cable between SJS2 (12 m)	139-12	224	
Cable between SJS2 (12 m) with protection hose	139-12P	329	
Protection hose for cable 139	CP11	10	
Data cable between PC and D-LINE (bidirectional)	145-05	91	
Synchron cable for photocell PR1a	163--6	45	
Extension cable (3 m) for headset HS2-1 and HS2-2	165-03	70	
Banana cable RS485 (blue/white)	166-10	43	
Cable with 30 m plus 2 outlet of 10 m each for photocell of Speedy	171-30	276	
Cable 199-20 from TimeManager to Flash and SU2/SU3	199-20	149	
Cable 199-30 from TimeManager to Flash and SU2/SU3	199-30	156	
Cable from SWT to SWT	200-04	89	
Cable from TM SWIM to SWT	200-20	159	
Cable SPA - SPA (7 m)	201-07	103	
Cable SPA - SPA (20 m)	201-20	195	
Data cable RS232 for Timy to PC (2 m)	205-02	74	
Adapter cable 2 m from TED-RX to Timy (8 timing channels-Training REF)	207-02	67	
Adapter cable 10 m from TED-RX to Timy (8 timing channels-Training REF)	207-10	87	
Cable from Timy Terminal to Timy Terminal	209-03	160	
Cable from Timy Terminal to last Timy Terminal (end resistor)	210-03	167	
Cable between two Timy Terminals with outlet for power supply	215-03	167	
Data cable between Timy and D-LINE with supply for Timy (not for GAZ)	234-10	128	
Cable from Windspeed WS2 to fix cabling box TB W	245-10	146	
Cable from Windspeed WS2 to Terminal Timy/Timy2	246-02	119	
Cabling Amphenol 4-pin to photocell stop with 12 VDC	274-10	74	
Cable from WTN to Timy or TdC8000/8001 (25-pin D-Sub)	280-03	22	
Cable from WTN to PC (25-pin to 9-pin - D-Sub)	283-02	91	
Cable from WTN to display board (25-pin D-Sub to Amphenol 4-pin)	284-02	81	

	Cable from Ballspeed radar BS-R to D-LINE	288-10	150
	Cable for external battery power for WTN-WS	292-05	160
	Cable from WTN to photocell start with 12VDC	295-02	85
	Cable from WTN to photocell stop with 12VDC	296-02	85
	Battery cable for display board and radar or WTN-DB	299-05	253
	Start-Stop change-over-switch (middle = off) with push-button	300-01	242
	Extension cable for display board	301-30	203
	Cable from Touchpad to SWT3 (banana cable with white and blue)	309-2.5	31
	Cable from SSD1 to SSD1 (Cross)	310-1.5	84
	Cable from SSD1 to SSD1 or SSD1-PS	310-07	131
	Cable from TED2-RX to Timy3	319-03	54
	Power Supply Cable from PS-KP to D-LINE	323-1.5	52
	Power Supply Cable from PS-KP to D-LINE and WTN-WS/WTN-DB/D-RAD	324-1.5	81
	Power Supply Cable from PS-KP to WTN-WS	325-1,5	52
	Power Supply Cable from PS-KP to RLS3c	326-1.5	52
	Cable from TED2-RX to Timy3 (TED-RX Compatibility-Mode)	327-02	52
	RS 232 Cable: timer - PC (9-pin) without handshake	904-02	79
	Antenna Cable for TED2 - 50 Ohm, up to 4 GHz (5 m)	BNC-V5	103
	Ethernet Cable (gray) 3 m, CAT6, Patch Cable	K-RJ45G03	19
	Ethernet Cable (gray) 10 m, CAT6, Patch Cable	K-RJ45G10	44
	Ethernet Cable (gray) 20 m, CAT6, Patch Cable	K-RJ45G20	74
	USB 2.0 cable 1.8 m with plugs A and B	USB-AB	6,66
	USB 2.0 cable, type A - 5-pin mini 0.8 m	USB-mini	6,66
	USB 2.0 cable type micro with 1.8 m	USB-micro	11
	USB 2.0 cable from type A to type C with 1,8 m	USB-AC	21
	USB type C cable from MT1/TED2 to P6-USB	USB-CC	19
REPAIRS			
	Calibration and basic check of the timing device	CAL	156
	Cost estimate for repairs (refunded in case of executed repairs)	RCE	54
PROMOTION MATERIAL			
#	ALGE jacket (black) - Mammut Gore-Tex Winter Jacket	AW-AN-Stoney	255
#	ALGE-softshell jacket (blue)	AW-SS-BU17	56
#	ALGE-Polo (gray)	AW-P-GY17	25
#	ALGE polo (white)	AW-PW	14
#	ALGE polo (black)	AW-PB	14
#	ALGE polo with long sleeves	AW-PLB	38
#	ALGE cap gray with ALGE-TIMING-1946	AW-Cap 1946	8,10
#	ALGE-Tube Scarf	AW-TS21	8,20
#	ALGE winter cap	AW-WCAP20	10
#	ALGE laptop backpack	AW-BP-LT	40
#	ALGE-bathing towel with swimmer	AW-BT-YE17	16
#	ALGE penknife (small)	AW-TMS	15
#	ALGE penknife (large)	AW-TML	9,23
#	ALGE sun umbrella	AW-SJ-SUN	92
#	ALGE mug	AW-Cup	3,59
#	ALGE pen	AW-Pen	1,54
#	ALGE USB flash drive 16GB (USB3.0)	ALGE-Stick	7,18
Price:	net in € (Euro)		
Validity:	until cancelled		
Subject to errors, misprints and changes!			
*	This product is not yet available		
**	This product is no longer available		
***	This product will be discontinued soon		
#	Product is not discountable		
NEW	New product		